EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	23	((data adj rate) and (transmit with power adj level)) with data with set and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 08:49
L2	0	set with of with ((data adj rate) and (transmit with power adj level)) and data with set and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 08:50
L3	55	set with ((data adj rate) and (transmit with power adj level)) and data with set and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 09:29
L4	56	index with table and ((data adj rate) and (transmit with power adj level)) and data with set and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 09:33
L5	0	index with table and ((data adj rate) and (transmit with power adj level)) same data with set and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 09:33
L6	64	index with table and ((data adj rate) and (transmit with power adj level)) and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 09:34
L7	65	table and ((data adj rate) and (transmit with power adj level)) same data same set and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 09:40
L8	1	((data adj rate) and (transmit with power adj level)) same data same set same table and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 09:41
L9	3	((data adj rate) and (transmit with power adj level)) same set same table and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 09:42
L10	0	((data adj rate) and (transmit with power adj level)) same set same table same lookup and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 09:42
L11	2	((data adj rate) and (power adj level)) same set same table same lookup and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 09:43
L12	3	((data adj rate) and (power adj level)) same table same lookup and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 09:47

L13	0	transmission with ((data adj rate) and (power adj level)) same table same lookup and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 09:47
L14	29	transmission with ((data adj rate) and (power adj level)) same table and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 10:27
L15	0	transmission with ((data adj rate) and (power adj level)) same map same storage and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 10:27
L16	0	((data adj rate) and (power adj level)) same map same storage and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 10:27
L17	1	((data adj rate) and (power adj level)) same map and storage and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 10:29
L18	1	((data adj rate) and (power adj level)) same map and stor$3 and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 10:29
L19	1	((data adj rate) and (power adj level)) same map and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 10:29
L20	0	((data adj rate) and (power adj level)) same ator$3 and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 10:30
L21	177	((data adj rate) and (power adj level)) same stor$3 and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 10:30
L22	3643513	((data adj rate) and (power adj level)) same stor$3 same mapand @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 10:30
L23	0	((data adj rate) and (power adj level)) same stor$3 same map and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 10:30
L24	15	((data adj rate) and (power adj level)) same stor$3 same table and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 10:32
L25	49	((data adj rate) and (power adj level)) same stor$3 same memory and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 10:38
L26	3	("5722051" | "6182251" | "6208620").PN. OR ("6785227"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/15 10:34
L27	42	((data adj rate) and (power adj level)) same stor$3 with memory and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 10:40

EAST Search History

L28	0	((data adj rate) and (power adj level)) same stor$3 with map and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 10:40
L29	3793904	((data adj rate) and (power adj level)) same stor$3 sames data with set same map and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 10:40
L30	0	((data adj rate) and (power adj level)) same stor$3 same data with set same map and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 10:40
L31	7	((data adj rate) and (power adj level)) same stor$3 same data with set and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 10:46
L32	27	("4901307" | "5010317" | "5073900" | "5081703" | "5109390" | "5119225" | "5180645" | "5216427" | "5233626" | "5239671" | "5265119" | "5303286" | "5339330" | "5410728" | "5415368" | "5422647" | "5423078" | "5433726" | "5439190" | "5446756" | "5448623" | "5535432" | "5546051" | "5551624" | "Re32905").PN. OR ("6064857"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/15 10:42
L33	3	((data adj rate) and (power adj level)) same data with set same map$4 and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 10:48
L34	10	((data adj rate) and (power adj level)) same set same map$4 and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 10:49
L35	31	((data adj rate) and (power adj level)) same map$4 and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 11:17
L36	0	((adaptive with transmission adj rate) and (power adj level)) same map$4 and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 11:17
L37	26	((adaptive with transmission adj rate) and (power adj level)) and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 11:20
L38	1847	((transmission adj rate) and (power adj level)) and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 11:20

EAST Search History

L39	0	((transmission adj rate) and (power adj level)) with data with set same map$4 and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 11:21
L40	0	((transmission adj rate) and (power adj level)) same data with set same map$4 and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 11:21
L41	24	((transmission adj rate) and (power adj level)) same data with set and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 11:23
L42	157	((((transmission or data) adj rate) and (power adj level)) same data with set and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 11:40
L43	14	(transmit with parameters with pair) and ((((data) adj rate) and (power adj level)) and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 11:43
L44	1	(transmit with parameters with pair) same ((((data) adj rate) and (power adj level)) and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 11:44
L45	3	(transmit with pair) same ((((data) adj rate) and (power adj level)) and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 11:50
L46	13	((((data) adj rate) and (power adj level)) with pair and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 11:58
L47	4	((((data) adj rate) same (power adj level)) with pair and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 12:06
L48	0	((((data) adj rate) same (power adj level)) with map$4 and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 12:07
L49	6	((((data) adj rate) and (power adj level)) with map$4 and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 12:26
L50	4	((((data) adj rate) and (power adj level)) with map$4 and stor$3 and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 12:26
L51	93	((((data) adj rate) and (power adj level)) same estimat$3 and stor$3 and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 12:27
L52	49	((((data) adj rate) same (power adj level)) same estimat$3 and stor$3 and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 12:31

L53	121	((((power with level) and (data) adj rate)) same estimat$3 and stor$3 and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 12:32
L54	113	((((power with level) and (data) adj rate)) same pair and stor$3 and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 12:33
L55	72	((((power with level) and (data) adj rate)) same pair and table and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 12:51
L56	14	((((power with level) and (data) adj rate)) same data with pair and table and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 12:51
S1	138	switch with fabric and input and output same memory with flow with control	US-PGPUB; USPAT	OR	ON	2006/06/14 11:32
S2	50	switch with fabric and input and output same memory with flow with control and @AD<"20010106"	US-PGPUB; USPAT	OR	ON	2006/06/14 11:35
S3	0	switch with fabric and output same memory with flow with control with monitor and @AD<"20010106"	US-PGPUB; USPAT	OR	ON	2006/06/14 11:36
S4	19	switch with fabric and output same memory with monitor and @AD<"20010106"	US-PGPUB; USPAT	OR	ON	2006/06/14 11:41
S5	1	"6907042".pn.	US-PGPUB; USPAT	OR	ON	2006/06/14 11:41
S6	53	(switch with fabric) and output with memory same threshold and use	US-PGPUB; USPAT	OR	ON	2006/06/14 11:42
S7	16	(switch with fabric) and output with memory same threshold and use and @AD<"20010101"	US-PGPUB; USPAT	OR	ON	2006/06/14 11:44
S8	72	(switch with fabric) and output with memory same use and @AD<"20010101"	US-PGPUB; USPAT	OR	ON	2006/06/14 15:32
S9	440	370/311.ccls.	US-PGPUB; USPAT	OR	ON	2006/06/14 15:33
S10	3	370/311.ccls. and (data with rate) and (power with level) with pair	US-PGPUB; USPAT	OR	ON	2006/06/14 15:39
S11	95	370/311.ccls. and (data with rate) and (power with level)	US-PGPUB; USPAT	OR	ON	2006/06/14 15:39
S12	33	370/311.ccls. and (transmit with data with rate) and (power with level)	US-PGPUB; USPAT	OR	ON	2006/06/14 15:46

EAST Search History

S13	190	(data with rate) and (power with level) same information same pair	US-PGPUB; USPAT	OR	ON	2006/06/14 15:47
S14	120	(data with rate) and (power with level) same information same pair and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/14 16:59
S15	33	(data with rate) and (power with level) with pair same information same pair and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/14 15:50
S16	24	(data with rate) and (power with level) with information same pair and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/14 15:53
S17	368	(data with rate) and (power with level) with pair and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/14 15:53
S18	4	transmit with parameter same (data with rate) and (power with level) with pair and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/14 16:01
S19	3	transmit with parameter and (data with rate) and (power with level) with measured with table and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/14 16:02
S20	22	(data with rate) and (power with level) with measured with table and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/14 16:06
S21	82	measur$3 same (data with rate) and (power with level) with table and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/14 16:25
S22	0	measur$3 same (data with rate) and (power with level) adj table and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/14 16:25
S23	0	measur$3 same (data with rate) and (power with level) adj pair and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/14 16:26
S24	0	(data with rate) and (power with level) adj pair and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/14 16:34
S25	817	(data adj rate) same (power adj level) and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/14 16:35
S26	0	(data adj rate) same (power adj level) with look with up and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/14 16:35
S27	0	(data adj rate) same (power adj level) with look-up and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/14 16:35

S28	2	(data adj rate) same (power adj level) same look-up and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/14 16:36
S29	38	(data adj rate) same (power adj level) same table and memory and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/14 16:41
S30	1	transmit with (data adj rate) same (power adj level) with control and memory and table with lookup and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/14 16:42
S31	4	transmit with (data with rate) same (power with level) with control and memory and table with lookup and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/14 16:44
S32	81	transmit with (data with rate) and (power with level) with control and memory and table with lookup and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/14 16:55
S33	0	(377/311) and transmit with (data with rate) and (power with level) with control and memory and table with lookup and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/14 16:56
S34	10	(370/311) and transmit with (data with rate) and (power with level) with control and memory and table with lookup and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/14 16:57
S35	25	(455/522) and transmit with (data with rate) and (power with level) with control and memory and table with lookup and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/14 16:58
S36	261	(455/522) and transmit with (data with rate) and (power with level) and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/14 16:58
S37	869	(data with rate) and (power with level) same pair and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/14 16:59
S38	3	parameter same ((data adj rate) and (power with level)) with pair	US-PGPUB; USPAT	OR	ON	2006/06/14 17:00
S39	39	((data adj rate) and (power with level)) with pair	US-PGPUB; USPAT	OR	ON	2006/06/14 17:01
S40	5	((data adj rate) and (power with level)) with pair same information	US-PGPUB; USPAT	OR	ON	2006/06/14 17:05

EAST Search History

S41	4	power with control and ((data adj rate) and (power with level)) with pair same information	US-PGPUB; USPAT	OR	ON	2006/06/14 17:05
S42	4	power with control and ((data adj rate) and (power adj level)) with pair same information	US-PGPUB; USPAT	OR	ON	2006/06/14 17:07
S43	3	power with control and ((data adj rate) and (power adj level)) with data with set with pair	US-PGPUB; USPAT	OR	ON	2006/06/14 17:08
S44	130	((data adj rate) and (power adj level)) with data with set	US-PGPUB; USPAT	OR	ON	2006/06/14 17:08
S45	68	((data adj rate) and (power adj level)) with data with set and @AD<"20020116"	US-PGPUB; USPAT	OR	ON	2006/06/15 08:49